Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-4 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Difference in Number of Counted Cases: 2017to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	1	0	-1	0%
St. Louis County	0	2	2	0%
Kansas City	1	1	0	0%
Springfield/Greene	0	0	0	0%
Region(excluding metropolitan areas)				
Northwestern	0	1	1	0%
Central	0	0	0	0%
Southeastern	0	1	1	0%
Southwestern	0	0	0	0%
Eastern	00	0	0	0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	2	5	3	0%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-9 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	1	2	1	0%
St. Louis County	3	5	2	0%
Kansas City	1	2	1	0%
Springfield/Greene	2	0	-2	0%
Region(excluding Metropolitan areas)				
Northwestern	0	4	4	0%
Central	0	0	0	0%
Southeastern	1	1	0	0%
Southwestern	0	0	0	0%
Eastern	0	1	1	100.0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	8	15	7	6.7%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-13 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	4	2	-2	0%
St. Louis County	4	5	1	0%
Kansas City	4	2	-2	0%
Springfield/Greene	2	0	-2	0%
Region(excluding Metropolitan areas)	 			
Northwestern	1	4	3	0%
Central	0	0	0	0%
Southeastern	1	1	0	0%
Southwestern	1	0	-1	0%
Eastern	2	1	-1	100.0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	19	15	-4	6.7%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-17 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	6	2	-4	0%
St. Louis County	7	5	-2	0%
Kansas City	6	2	-4	0%
Springfield/Greene	2	0	-2	0%
Region(excluding Metropolitan areas)	 			
Northwestern	1	4	3	0%
Central	1	0	0	0%
Southeastern	3	1	0	0%
Southwestern	3	0	-3	0%
Eastern	3	1	-2	100.0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	32	15	-17	6.7%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-22 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	9	2	-7	0%
St. Louis County	9	5	-4	0%
Kansas City	6	3	-3	0%
Springfield/Greene	2	0	-2	0%
Region(excluding Metropolitan areas)		L		
Northwestern	1	5	4	0%
Central	1	0	0	0%
Southeastern	4	1	0	0%
Southwestern	3	0	-3	0%
Eastern	5	1	-4	100.0%
Institutionalized Patients*	0	0	0	0%
TOTAL**	40	17	-23	11.8%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-26 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	10	2	-8	0%
St. Louis County	9	5	-4	0%
Kansas City	7	5	-2	0%
Springfield/Greene	2	0	-2	0%
Region(excluding Metropolitan areas)				
Northwestern	2	5	3	0%
Central	1	0	0	0%
Southeastern	4	2	0	50%
Southwestern	3	0	-3	0%
Eastern	6	1	-5	100.0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	45	20	-25	15.0%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-30 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	11	2	-9	0%
St. Louis County	11	6	-5	0%
Kansas City	7	5	-2	0%
Springfield/Greene	3	0	-3	0%
Region(excluding Metropolitan areas)	 			
Northwestern	2	6	4	0%
Central	1	0	0	0%
Southeastern	5	2	0	50%
Southwestern	5	0	-5	0%
Eastern	6	1	-5	100.0%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	52	22	-30	18.2%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-35 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	13	4	-9	0%
St. Louis County	12	6	-6	0%
Kansas City	7	6	-1	0%
Springfield/Greene	3	0	-3	0%
Region(excluding Metropolitan areas)	<u> </u> 		 	
Northwestern	4	6	0	33%
Central	1	0	0	0%
Southeastern	7	2	0	50%
Southwestern	5	0	-5	0%
Eastern	[6	1	-5	100%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	59	25	-34	16%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-39 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	14	4	-10	0%
St. Louis County	13	7	-6	0%
Kansas City	7	6	-1	0%
Springfield/Greene	4	0	-4	0%
Region(excluding Metropolitan areas)	 		 	
Northwestern	4	6	0	33%
Central	2	0	0	0%
Southeastern	7	2	0	50%
Southwestern	5	0	-5	0%
Eastern	6	11	-5	100%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	63	26	-37	15%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-44 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	18	6	-12	0%
St. Louis County	15	11	-4	0%
Kansas City	8	7	-1	0%
Springfield/Greene	4	0	-4	0%
Region(excluding Metropolitan areas)	 	<u></u>		
Northwestern	6	6	0	33%
Central	2	0	0	0%
Southeastern	7	2	0	50%
Southwestern	6	0	-6	0%
Eastern	6	3	-3	33%
Institutionalized Patients*	1	0	-1	0%
TOTAL**	73	35	-38	11%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-48 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	21	7	-14	0%
St. Louis County	15	13	-2	23%
Kansas City	8	7	-1	0%
Springfield/Greene	4	0	-4	0%
Region(excluding Metropolitan areas)	<u> </u>			
Northwestern	6	10	0	20%
Central	4	2	0	0%
Southeastern	8	3	0	33%
Southwestern	8	3	-5	0%
Eastern	8 8	4	-4	25%
Institutionalized Patients*	1	1	0	0%
TOTAL**	83	50	-33	14%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.

Reported Number of Tuberculosis Disease Cases for MMWR Weeks 1-52 2017 versus 2018

Geographic Area	Number of Counted Cases: 2017	Number of Counted Cases: 2018	Differences in Number of Counted Cases: 2017 to 2018	Percent of 2018 Cases that were Preventable
St. Louis City	22	9	-13	0%
St. Louis County	15	17	2	18%
Kansas City	9	7	-2	0%
Springfield/Greene	4	0	-4	0%
Region(excluding Metropolitan areas)	<u>i</u> 			
Northwestern	7	11	0	27%
Central	4	4	0	25%
Southeastern	8	3	0	33%
Southwestern	8	5	-3	0%
Eastern	9	6	-3	17%
Institutionalized Patients*	1	1	0	0%
TOTAL**	87	63	-24	14%

^{*}Institutionalized patients are those individuals who are incarcerated in federal or state prisons. Provisional Data from the WebSurv System Subject to Change

^{**} The total percent of preventable cases is derived by dividing the total number (not percentage) of preventable cases by the total number of 2018 counted cases.